

# ) (877) 561-3667

# UNIVERSAL FLUSH ACCESS DOOR Model DSC-214M

**Prime Coated Steel or Stainless Steel** 

DATE



## SPECIFICATIONS

#### GENERAL SCOPE:

Access doors shall be Karp Type DSC-214M as manufactured by Karp Associates, Inc., Melville, N.Y. Sizes shall be as indicated on the drawings.

## **CONSTRUCTION:**

1. Frame shall be 16 gage steel and door shall be 14 gage steel.

2. Flange of frame shall be one-piece construction,  $1.00^{\circ}$  wide.

3. Door and trim shall have radius corners.

4. Hinge shall be pin type, spring loaded making door removable.

5. Locks shall be flush and screwdriver operated with steel can and studs, or shall be key operated cylinder lock with automatic dust shutter.

6. Masonry anchor straps can be included on frames if specified.

7. Finish shall be prime coat of rust inhibitive electrostatic powder, baked white enamel. Stainless steel shall have No. 4 satin polish finish.

\* When hinge side is greater than 48", door shall have a continuous piano hinge for rigidity.

#### STANDARD SIZES

DOOR SIZE H X W (IN.)	WALL/CEILING OPENING (IN.)	# OF LATCHES CRS SS	SHIP WT. (LBS.)
6 x 6	6 3/8 x 6 3/8	1	2.1
8 x 8*	8 3/8 x 8 3/8	1	3.1
10 x 10*	10 3/8 x 10 3/8	1	4.3
12 x 8	12 3/8 x 8 3/8	1	4.6
12 x 12*	12 3/8 x 12 3/8	1	6.3
14 x 14	14 3/8 x 14 3/8	2	8.1
16 x 12	16 3/8 x 12 3/8	2	7.8
16 x 16	16 3/8 x 16 3/8	2	9.9
18 x 12	18 3/8 x 12 3/8	2	8.9
18 x 18*	18 3/8 x 18 3/8	2 4	12.2
20 x 16	20 3/8 x 16 3/8	2	11.8
22 x 22	22 3/8 x 22 3/8	4	16.3
24 x 12	24 3/8 x 12 3/8	2	10.6
24 x 18	24 3/8 x 18 3/8	2	14.5

PROJECT DATA								
Project Name:								
Archite	Architect:							
Contrac	Contractor:							
Agent/Customer Name:								
Tagging Instructions:								
Special Instructions:								
PROJECT SCHEDULE								
Qty.	н	w	No. of Latches	Finish	Remarks			
	DOR SIZE	WALL/C		# 0F	SHIP WT.			

	DOOR SIZE	WALL/CEILING	# 0F	SHIP WT.
	H X W (IN.)	OPENING (IN.)	LATCHES	(LBS.)
	24 x 20	24 3/8 x 20 3/8	2	16.5
	24 x 24*	24 3/8 x 24 3/8	5	18.7
	30 x 20	30 3/8 x 20 3/8	5	20.1
	30 x 22	30 3/8 x 22 3/8	5	21.7
	30 x 24	30 3/8 x 24 3/8	5	23.6
	30 x 30	30 3/8 x 30 3/8	5	27.8
	36 x 22	36 3/8 x 22 3/8	5	25.6
	36 x 24	36 3/8 x 24 3/8	5	28.2
	36 x 36	36 3/8 x 36 3/8	5	36.8
	48 x 24	48 3/8 x 24 3/8	6	34.4
*	The wall energy	a size for doors lar	nor that 18 x 2	6

-ONE PIECE TRIM WITH ROUND CORNERS

1'

\* The wall opening size for doors larger that 48 x 36 shall be 1/2" larger than the door size.

